STURDY
PRODUCTS LTD

# Construction

# Mortar Tubs

The Sturdy 330L Mortar Tubs are the highest quality mortar tub on the market. They are designed for crane and teleporter use.

These fully tested, certified and approved to international standards Mortar Tubs ensure safety and compliance on your building site. Full certification is available for each tub supplied.

- Extremely strong, durable, highest quality mortar tub.
- Unique patented 'Flexi' Handles.
- Complete with galvanised metal frame and handles.
- Designed for crane or teleporter use.
- Stacking lugs prevent tubs from sticking when stacked.
- Signage panel for personalisation.
- Available in a range of colours.

**Optional extra**
Sturdy Liner Bags ensure a longer life for the mortar tubs, and prevents mortar solidifying. The liner bags also reduce the time required for cleaning and prolongs the on-site usable time for your mortar.
**Product Code: 092- A** [Roll of 100 bags]

| Craneable: |
|---|
| **Capacity** 330L |
| **Width** 700mm |
| **Length** 1000mm |
| **Height** 700mm |
| **Product Code 036- A** |

| Teleporter: |
|---|
| **Capacity** 330L |
| **Width** 700mm |
| **Length** 1000mm |
| **Height** 700mm |
| **Product Code 325- A** |

# 330L Skip Trolley

The Sturdy Skip Trolley is ideal for transporting materials on a construction site or in industry.

This wheel mounted Skip Trolley has 100mm wheels and can be crane lifted by its lifting handles.

- Cost effective and practical buggy.
- Optional lifting frame available.
- Lightweight and easy to manoeuvre.
- Strong and durable to withstand use
- on construction sites.
- Fitted with standard components.
- Signage panel for personalisation.

| 330L Skip Trolley |
|---|
| **Capacity 330L** |
| **Width** 710mm |
| **Length** 1025mm |
| **Height** 960mm |
| **Product Code 360- A** |

# Tote Buggy

The Tote Buggy is ideal for transporting and storing goods in the workplace.
Manufactured from medium density polyethylene UV stabilised the Tote Buggy is extremely strong, durable and maintenance free. It is lightweight and easy to manoeuvre. It can be supplied with a PVC or wooden top.
The Tote Buggy is available in a range of colours.

**Optional extra**
- PVC cover
- Hard plastic lid

| Craneable: |
|---|
| **Capacity 330L** |
| **Width** 700mm |
| **Length** 1000mm |
| **Height** 960mm |
| **Product Code 148- A** |

STURDY PRODUCTS LTD

# Mortar Tub Trolley

## Product Guide:

**330LT**

**Product code: 036-A**

**250LT**

**Product code: 060-A**

- The Mortar Tub Trolley is developed to accommodate two different sizes of Mortar Tubs.By default the product is developed for the smaller 250lt Tub however its extension frame to allows for the larger 330lt tub to be used as well.

- The bottom part of the extension frame is made out of angled iron, which allows for comfortable fit and operation. Due to tight fit, there are no extra fittings required to fix it in place, meaning the extension frame simply sits on top of the default frame making it very easy to switch between tubs.

| Mortar Tub Trolley |
| --- |
| Dimensions Open<br>Length: 1910mm<br>Width: 880<br>Height: 1510mm<br><br>Dimensions Closed<br>Length: 1910mm<br>Width: 880<br>Height: 840mm<br><br>**Product Code**<br>**661- A** |

Bottom of the frame made from angled iron to allow tight fit

**Plug&Play** Extension frame
(No need for any fixings)

Designed to sit on top of existing frame



STURDY PRODUCTS LTD

## Sturdy Versatile Mortar

The Sturdy Versatile Mortar Tub 250Ltr is designed for crane, teleporter and standard forklift use. It can be top and bottom lifted by a forklift.

The frame is secured to the tub body by steel rivets and large steel washers. The flexible body of the container facilitates ease of cleaning.

The Versatile Mortar Tub comes complete with a galvanised high grade steel frame and and rigid handles. These rigid handles prevent the mortar tubs from locking together when stacked.

The Versatile Mortar Tub is fully and independently certified.

**Versatile LiftTub:**

**Capacity**
**250L**

**Width**
**762mm**

**Length**
**1070mm**

**Height**
**555mm**

**Product Code**
**364- A**

# Radon Sump

- Protects your building from the harmful effects of this naturally occuring gas.
- Prevents radon from rising in cavities of hollow concrete block walls.
- A single extraction pipe is run off from the sump and it is possible in longer buildings to connect sumps in sequence.
- Four outlets allow you to have the extraction pipe where it is ideal.

**Technical Specifications:**

**Pipe diameter:** 110mm

**Width**:300mm

**Length:** 600mm (825mm overall)

**Height**:230mm

**Product Code**
**166- A**

# Tipping Wheelbarrow

**1.** Wheelbarrow is balanced so it is easy to manoeuvre even when fully loaded.

**2.** Lift handles of barrow until the bucket tilts forward away from the frame.

**3.** Bring frame back towards the ground and the bucket will tilt forward fully, emptying contents.

**Technical Specifications:**

**Capacity**
**310L**

**Width**
1020mm

**Length**
1870mm

**Height**
850mm

**Product Code**
**338- A**

STURDY PRODUCTS LTD

# Sturdy Mini Skip

The Sturdy Mini Skip is cost effective and practical. It is easy to manoeuver and can be lifted by crane or teleporter.
Manufactured from medium density polyethylene UV stabilised the Mini Skip is extremely strong and durable. The frame is secured to the body of the skip by steel rivets and large steel washers. The flexible body of the container facilitates ease of cleaning. The Mini Skip comes complete with a steel frame and unique patented Sturdy "Flexi-Handles". An additional steel frame cage is added to allow for an extra load. All components of the frame are fully glavanised. The Mini Skip can also be hot foiled stamped with a unique serial number which gives security and traceability over your tubs. Its bottom handles facilitates the emptying of the contents into large waste skips on site.

| Mini Skip |
|---|
| **Capacity:** 500Ltr |
| **Width** 900mm |
| **Length** 1000mm |
| **Height** 700mm |
| **Product Code** 331- A |

# Forkliftable Bulk Container

The unique design of the Sturdy Forkliftable Bulk Container makes it ideal for storing or transporting material of all types.

- Strong, durable and practical for many types of storage and transportation.
- Lightweight and easy to manoeuvre.
- Drain plugs can be fitted as an optional extra.
- Personalisation available upon request.
- Manufactured from UV stabilised polyethylene plastic.
- **Optional extras**
  Castors and handles are available as optional extras.

| Technical Specifications: |
|---|
| **Capacity** 900L |
| **Width** 1200mm |
| **Length** 1100mm |
| **Height** 960mm (1200mm with castors) |
| **Product Code** 090- A |

# Jobber

The Sturdy Jobber is manufactured from UV stabilised Polyethylene and is tough and durable. It has no sharp corners and is strong to withstand abuse.

The Jobber can be forklifted and is designed for the small builder. It fits neatly into the back of most vehicles. It can also be used to move small quantities of mortar or plaster by forklift.

| Technical Specifications: |
|---|
| **Capacity** 200L |
| **Width** 900mm |
| **Length** 900mm |
| **Height** 380mm |
| **Product Code** 181 - A |

STURDY PRODUCTS LTD

# Site Waste Segregation

The Sturdy Site Waste Segregation Trolleys are ideal for segregating waste on site. Substantial savings can be made by segregating construction waste on site.

- Both the *STURDY* Mini Skip and Waste Segregation Trolley are available in a range of standard colours in order to distinguish between different waste types.
- Both products are suitable for teleporter & crane lifting.
- The waste segregation trolley is fitted with 2 braked and 2 non-braked castors and has a coated steel frame. All components of the mini skip frame are fully galvanised.
- Both waste segregation products are fully and independently certified and incorporate our unique patented "Flexi" handles.

Personalisation is available on request.

**Waste Segregation Trolley**

**Width:**1000mm

**Length:**1670mm

Overall **Height:** (Incl castors and handles): 1110mm

**Product Code:390- A**

## Tipping Segregation Skip / Trolley

Both units are designed to help your business work smarter in the movement of material.

Integrated crane lifting points and tipping points for ease of movement.

Reinforced tipping front
giving a long working life to the product.

Steel frame
to give a robust long and safe working life to the product.

The Tipping Segregation Trolley has heavy duty Wheels ideal for moving around site.

**Tipping Segregation Skip**

**Width**:970mm

**Length**:2070mm

**Height**:750mm

**Product Code 686- A**

**Tipping Segregation Trolley**

**Width**:970mm

**Length**:2070mm

**Height**:920mm

**Product Code 687- A**

STURDY PRODUCTS LTD

# The STURDY Builders Chute is an ideal waste removal system that can be used in many different areas of the construction industry.

Normally 3 chute section and an Intermediate section are required per floor height

Ideal for the removal of site waste in all areas of the construction industry and helps keep work areas relatively dust free.

The system is suitable for any scaffolding height.

It is a strong and durable waste removal system which can be easily assembled without removing scaffolding boards.

The top or starter chute can be fitted with a metal frame that attaches to scaffolding.

All metal parts are galvanised to prevent against rusting.

An intermediate chute is also available. This allows entry to the system on different scaffolding levels. A fixing frame is also available for this section to reinforce the system.

The chute section incorporates signage panels which allow for personalisation with a company's corporate logo to advertise and promote the company. Available in a range of colours.

The plastic sections are manufactured from a U.V. stabilised medium density polyethylene and are fully recyclable.

| Top Section | Technical Specifications: |
|---|---|
| | **Diameter**:700mm<br>**Length**:700mm<br>**Height**:750mm<br>**Product Code 219- A** |

| Intermediate Section | Technical Specifications: |
|---|---|
| | **Diameter**:700mm<br>**Length**:1100mm<br>**Height**:1090mm<br>**Product Code 220- A** |

| Chute Section | Technical Specifications: |
|---|---|
| | **Diameter 700mm**<br>**Height 1100mm**<br>**Product Code 221- A** |

| Fixing Frames | Technical Specifications: |
|---|---|
| | **Upper and Intermediate Frames**<br>**Product Code 222- A** |

STURDY PRODUCTS LTD

# Road Barrier System

The Sturdy Road Guard Barrier System is the ultimate in function and convenience. It is a safer and a more practical alternative to posts or cones. It is also more convenient than concrete or steel barriers as no heavy lifting equipment is needed. The Road Guard Barrier has a low centre of gravity and can be filled with water to 'anchor' it in place. The Road Guard Barrier can also be secured to asphalt or concrete by a unique clamping system. Holes are strategically placed to prevent the barrier being overfilled and becoming too heavy to be manually handled. Unique stacking features help during transportation and storage. Forklift slots allow for lifting of stacked units. Each Road Guard Barrier weights less than the recommended manual handling load and can be easily arranged by just one person. 100 units give 200 linear meters of continuous 'no gap' barrier, which can be delivered to site on one 40ft trailer. Removing the large 150mm rubber fill cap on the top of the Road Guard Barrier allows each unit to be filled with ease. A smaller rubber plug is located at the bottom of each unit to allow it to be emptied without the need to tip it over. The unit is manufactured from UV stabilised polyethylene and is 100% recyclable. The system is effective in all weather conditions. The UV stabilised polyethylene plastic will not discolour in sunlight.

The Road Guard Barrier is ideal for traffic re-routing, building and construction sites, temporary road closures, car parks, contra flow systems, airport/ferry terminals, sports or special events and footpath detours.

| Road Guard | |
|---|---|
| **Width:** | 660mm |
| **Length:** | 2430mm |
| **Road Coverage:** | 2000mm |
| **Height:** | 870mm |
| **Code:** | 384-A |

| Starter Road Guard | |
|---|---|
| **Width:** | 720mm |
| **Length:** | 600mm |
| **Height:** | 1320mm |
| **Code:** | 385-A |

| End Road Guard | |
|---|---|
| **Width:** | 660mm |
| **Length:** | 975mm |
| **Height:** | 800mm |
| **Code:** | 386-A |

| Intermediate Road Guard | |
|---|---|
| **Width:** | 720mm |
| **Length:** | 1150mm |
| **Road coverage:** | 650mm |
| **Height:** | 1320mm |
| **Code:** | 387-A |

STURDY PRODUCTS LTD

# Tanks

Sturdy Products plastic tanks range in sizes from 290LT to 10,000LT and are suitable for potable water, oil, and chemical storage. Other tank sizes available upon request, please contact our sales team for more information. Or visit our at www.sturdyproducts.com

The tanks are manufactured from UV stabilised Medium Density Polyethylene.



## The Sturdy Balance Tank

The Sturdy Balance Tank is ideal for use as an extra storage container for water, oil, diesel, chemicals or as a pump housing chamber. An access screw cap is located on the top of the oil tank or water tank. The water storage tank or oil storage tank should be completely supported underneath. It can be manufactured from WRC approved UV stabilized medium density polyethylene material which is suitable for water storage. The tank is strong, durable and will never rust or require painting.
As an optional extra a drainage bung or tap can be fitted upon request.
The storage tanks are available in blue or black as standard and comes in three sizes - 290Ltr, 390Ltr and 450Ltr.

| Balance Tank | Balance Tank | Balance Tank |
|---|---|---|
| **Capacity:** 290Ltr | **Capacity:** 390Ltr | **Capacity:** 450Ltr |
| **Length:** 805mm | **Length:** 980mm | **Length:** 1040mm |
| **Width:** 570mm | **Width:** 570mm | **Width:** 570mm |
| **Height:** 860mm | **Height:** 860mm | **Height:** 860mm |
| **Product Code 216-A** | **Product Code 215-A** | **Product Code 214-A** |

## Sturdy 850lt Water Tank

| Sturdy 850lt Water Tank |
|---|
| **Length:** 1,000mm |
| **Width:** 675mm |
| **Height:** 1,610mm |
| **Product Code 456-A** |

The Sturdy 850lt Water Tank is manufactured from WRC approved material and is suitable for the storage of potable water. The material is strong, durable, compounded UV stabilised medium density polyethylene which will never rust, fade or require painting.
This water tank is also perfect for collecting rainwater from gutters or buildings and is stored at ground level. Its ideal for all types of industry, from car washes, golf courses, hotels, farms and also areas prone to low water pressure.
The 850lt Tank should be completely supported underneath. A concrete base or concrete lintels are ideal and should protrude at least 2 inches past the tank on all sides.

STURDY PRODUCTS LTD

## Sturdy Booster Coffin Water Tanks 340LT / 500LT

The tanks are manufactured from UV Stabilised Medium Density Polyethylene which has been approved by the Water Regulations Advisory Scheme (WRAS)

The U.V. Stabiliser has a rating of 8 (i.e. Sunlight Stabilised, Good Colour Retention, and Long Life Expectancy).

The colour is compounded into the material.

**Optional Extras**

- Bylaw 30 kit, Inlet and outlet fittings
- Bund / drip tray available



| Booster Coffin Water Tanks 340LT |
|---|
| **Length:** 1,500mm |
| **Width:** 600mm |
| **Height:** 630mm |
| **Weight:**22kg |
| **Product Code 671-A** |



| Booster Coffin Water Tanks 500LT |
|---|
| **Length:** 2,200mm |
| **Width:** 600mm |
| **Height:** 630mm |
| **Weight:**34kg |
| **Product Code 672-A** |

## Sturdy 340LT / 500 LT Booster Tank

| Sturdy 340LT Booster Tank |
|---|
| **Diameter:** 560mm |
| **Height:**1380mm |
| **Weight:**14kg |
| **Product Code 629-A** |

| Sturdy 500LT Booster Tank |
|---|
| **Diameter:**750mm |
| **Height:**1600mm |
| **Weight:**20kg |
| **Product Code 670-A** |

The tank is manufactured from UV Stabilised Medium Density Polyethylene which has been approved by the Water Regulations Advisory Scheme (WRAS)

The U.V. Stabiliser has a rating of 8 (i.e. Sunlight Stabilised, Good Colour Retention, and Long Life Expectancy).

The colour is compounded into the material.

**Optional Extras**

- Bylaw 30 kit, Inlet and outlet fittings
- Bund / drip tray available

STURDY PRODUCTS LTD

# Tanks and Storage

Sturdy Products plastic tanks range in sizes from 290LT to 10,000LT and are suitable for potable water, oil, and chemical storage. Other tank sizes available upon request, please contact our sales team for more information.

The tanks are manufactured from UV stabilised Medium Density Polyethylene.

## JXL Bunded Tank

The JXL Bunded Tank when used gives peace of mind knowing that the surrounding environment is protected from accidental pollution from leaks or spillages. The bunded tank is capable of holding 110% of the oil storage tank's contents.

The bund has a large lockable lid for easy access to the internal oil storage tank. Manufactured from UV stabilised medium density polyethylene plastic it will never rust. It is strong and designed to withstand demanding environmental requirements.

It is recommended that all domestic installations for oil storage should be bunded. However all commercial, industrial, educational, agricultural and institutional properties using and storing oil and commercial fuels must use a bunded oil storage tank.

| JXL Bund |
|---|
| **Capacity:** 2750L |
| **Length:** 2400mm |
| **Width:** 1700mm |
| **Height:** 1490mm |
| **Product Code** 150- A |

**Sturdy Bunded tanks range from 1200LT to 10,100LT**
**See details on www.sturdyproducts.com**

## Sturdy 10,100 Water Tank

The Sturdy 10,100 Water Tank is manufactured from WRC approved material and is suitable for the storage of potable water. This water tank is ideal for the collection of rainwater from gutters or buildings and is stored at ground level.

This water storage tank is manufactured from strong, durable, compounded UV stablisied medium density polyethylene. This water storage tank will never rust or require painting.

The Sturdy 10,100 Water Tank should be completely supported under its entire length and width. A concrete base or concrete lintel is ideal and should protrude at least 2 inches past the tank on all sides, as per the instructions moulded on each tank.

| 10,100L Water Tank |
|---|
| **Capacity:** 10100L |
| **Diameter:** 2500mm |
| **Height:** 2815mm |
| **Product Code** 366- A |

**Sturdy Water Tank range from 1200LT to 10,100LT**
**See details on www.sturdyproducts.com**

## Sturdy Super IBC Bund

Our Sturdy Super IBC Bund is designed to safely store IBC Tanks. Its unique design allows for the tank to be stored in a controlled and save manner due to it's anti-spill lip which can hold up to 1300lt of liquid in case of a leak.

**We have a range of other Chemical Store products available**
**See details on www.sturdyproducts.com**

| Sturdy Bunded IBC Store |
|---|
| **Capacity:** 5.8m3 |
| **Width:** 1,950mm |
| **Depth:** 1,565mm |
| **Height:** 1,900mm |
| **Product Code:** 660-A |

STURDY PRODUCTS LTD

# Looking forward to hearing from you!

**STURDY PRODUCTS LIMITED**
**Blessington Industrial Estate,**
**Blessington,**
**Co. Wicklow,**
**Ireland**

## Contact Details:

**Tel: 00 353 45 865044**
**Fax: 00 353 45 865721**
**E-mail: sales@sturdyproducts.com**
**Website: www.sturdyproducts.com**