

STURDY
PRODUCTS LTD

**Environmental
and
Waste Management**



90L Two Wheeled Bin

- 90L Wheelie Bin is commonly used by county councils and is ideal for domestic waste.
- The lid on the wheelie bin is hinged in four places for extra strength.
- This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- The wheeled bins are manufactured from high-density injection moulded polythene and are fully ultra violet stabilised.
- Each bin is fitted with two solid rubber wheels of 200mm diameter and are 100% recyclable.
- The wheelie bins are fully compatible with normal lifting device on trucks.
- Serial numbers come on all containers as standard.

Technical Information	
Length:	545mm
Width:	485mm
Height:	825mm
Code:	289-A



140L Two Wheeled Bin

- This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- The wheeled bins are manufactured from high-density injection moulded polythene and are fully ultra violet stabilised.
- Each bin is fitted with two solid rubber wheels of 200mm diameter and are 100% recyclable.
- The bins are fully compatible with normal lifting device on trucks.
- Serial numbers come on all containers as standard.

Technical Information	
Length:	550mm
Width:	485mm
Height:	1065mm
Code:	116-A



240L Two Wheeled Bins

- This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- The wheeled bins are manufactured from high-density injection moulded polythene and are fully ultra violet stabilised.
- Each bin is fitted with two solid rubber wheels of 200mm diameter and are 100% recyclable.
- The bins are fully compatible with normal lifting device on trucks.
- Serial numbers come on all containers as standard.

Technical Information	
Length:	725mm
Width:	580mm
Height:	1075mm
Code:	117-A



360L Two Wheeled Bin

- This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- The wheeled bins are manufactured from high-density injection moulded polythene and are fully ultra violet stabilised.
- Each bin is fitted with two solid rubber wheels of 200mm diameter and are 100% recyclable.
- The bins are fully compatible with normal lifting device on trucks.
- Serial numbers come on all containers as standard.

Technical Information	
Length:	870mm
Width:	660mm
Height:	1085mm
Code:	118-A



Beverage Recycling Bin

The Sturdy Beverage Recycling Container is designed to aid the recycling of used beverage containers such as plastic pint containers. The system allows all liquids and containers to be collected separately which helps with segregation at source.

Using our recycling containers is easy, simply pour any remaining liquid into the funnel and then dispose of the cup or container in the collection insert. The liquid flows directly into the collection tank where it is stored until emptying is required.

Technical Information	
Length:	725mm
Width:	580mm
Height:	1075mm
Code:	448-A



Two Wheeled BioBins

- This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- The wheeled bins are manufactured from high-density injection moulded polythene and are fully ultra violet stabilised.
- Each bin is fitted with two solid rubber wheels of 200mm diameter.
- The bins are fully compatible with normal lifting device on trucks.
- Serial numbers come on all bins as standard.
- These come in two sizes; 140L and 240L
- Air holes in the side help the waste dry out and to reduce smells.

Technical Information	
Length:	725mm
Width:	580mm
Height:	1075mm
Code:	117-A

Kitchen Caddys



Technical Specifications:	
Capacity	7L
Width	315mm
Length	240mm
Height	230mm
Product Code	452- A

Technical Specifications:	
Capacity	10L
Width	250mm
Length	290mm
Height	300mm
Product Code	226- A

Technical Specifications:	
Capacity	23L
Width	325mm
Length	395mm
Height	410mm
Product Code	453- A

Recycones

The Composter - Recycones are a domestic waste composter that gives a small supply of rich, sweet smelling compost to use in the garden or for house plants. There is a large lid on the top of the Recycone Composters for easy insertion of waste. At the base of the garden composters there is a unique hatch for extracting the compost. Both lids are attached to the body by nylon straps. The units have specially designed ribs to help accelerate decomposition of material. The open base facilitates quick drainage and drying of the compost into the earth beneath. They come complete with user instructions.

The Composter - Recycones are manufactured from 100% recycled UV stabilised polyethylene.




Technical Specifications:

224
Top Diameter:
410mm

Bottom Diameter
720mm

Height
1130mm

Product Code
239- A



Technical Specifications:

325
Top Diameter:
530mm

Bottom Diameter
840mm

Height
900mm

Product Code
245- A



Technical Specifications:

527
Top Diameter:
530mm

Bottom Diameter
840mm

Height
1130mm

Product Code
241- A

Extras for two wheeled bins



Foot Pedal



Recycling Disposal



Letter Box Lid




Confidential Disposal



Triangular Lock



Slam-Lock



Axles and Wheels



Secure Locking Post



Technical Information	
Length:	820mm
Width:	750mm
Height:	1141mm
Code:	428-A

400L Four Wheeled Plastic Bin

Its low profile square shape makes it ideal for narrow hallways and corridors. The EN-840 container has a chip nest embodied in the container as per standard. The bin integrates with all modern comb and DIN lifting systems.



Technical Information	
Length:	1265mm
Width:	775mm
Height:	1165mm
Code:	119-A

660L Four Wheeled Plastic Bin

The EN-840 container has a chip nest embodied in the container as per standard. The wheeled bin is manufactured from high-density injection moulded polythene and are fully ultra violet stabilised. This bin is fitted with four 200mm heavy duty wheels. The bin integrates with all modern comb and DIN lifting systems.



Technical Information	
Length:	1375mm
Width:	1075mm
Height:	1460mm
Code:	323-A

1100L Four Wheeled Plastic Bin

The EN-840 container has a chip nest embodied in the container as per standard. This bin is fitted with four 200mm heavy duty wheels. The bin integrates with all modern comb and DIN lifting systems.



Technical Information	
Length:	1375mm
Width:	1075mm
Height:	1460mm
Code:	578-A

1100L Four Wheeled Drop-Front Plastic Bin

The EN-840 container has a chip nest embodied in the container as per standard. The wheeled bin is manufactured from high-density injection moulded polythene and are fully ultra violet stabilised. This bin is fitted with four 200mm heavy duty wheels. The bin integrates with all modern comb and DIN lifting systems. Also available in 660L.

Plastic Bin Standard Colours



Plastic Bin Premium Colours



660L Four Wheeled Steel Bin

- ~This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- ~Each bin is fitted with two solid rubber wheels of 200mm diameter.
- ~The bins are fully compatible with normal lifting device on trucks.
- ~Serial numbers come on all containers as standard.
- ~ Available galvanized, powder coated in a range of colours, or with custom graphics.

Technical Information

Length:	1260mm
Width:	715mm
Height:	1320mm

Code: **513-A**
(Powder Coated)
511-A
(Galvanized)



1100L Four Wheeled Steel Bins

- ~This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- ~Each bin is fitted with two solid rubber wheels of 200mm diameter.
- ~The bins are fully compatible with normal lifting device on trucks.
- ~Serial numbers come on all containers as standard.
- ~ Available galvanized, powder coated in a range of colours, or with custom graphics.

Technical Information

Length:	1270mm
Width:	1000mm
Height:	1380mm

Code: **514-A**
(Powder Coated)
512-A
(Galvanized)



1100L Four Wheeled Drop-back Steel Bin

- ~This EN-840 approved wheelie bin has a chip nest embodied in the container as standard.
- ~Each bin is fitted with two solid rubber wheels of 200mm diameter.
- ~The bins are fully compatible with normal lifting device on trucks.
- ~Serial numbers come on all containers as standard.
- ~ Available galvanized or powder coated in a range of colours.

Technical Information

Length:	1270mm
Width:	1000mm
Height:	1380mm
Code:	272-A



Sturdy Street

The Street Recycling Centre has been designed to meet the growing demand of the public who seek convenient access to recycling centres within their towns and villages.

Street Recycling Centre houses a 1100L or 1280L Waste Container. Its stylish design can incorporate distinctive recycling messages to allow members of the public to quickly and easily identify the separate waste streams and prevent cross contamination. It can also be used as a higher volume collection point for general waste.

The Street Recycling Centre is ideal for busy city streets, housing development and public parks.

Technical Information

Length:	1331mm
Width:	1550mm
Height:	1700mm
Code:	439-A



node⁰

The node⁰- Recycling Station's modular, wheeled design enables it to be used in multiples from one to four quadrants around its locking post, thus allowing it to fit into confined corners, against walls or as a central feature in a public area. Each container detaches from the central locking post to become a wheeled bin that is emptied using the standard comb bar lifting mechanism on the refuse collection vehicle.

Technical Information

Length:	1320mm
Width:	1320mm
Height:	1480mm
Code:	415-A



Sturdy Waste Pod

The Sturdy Waste Pod provides a firm location for the safe collection of waste. It is manufactured to house a 240L wheeled waste container.

Manufactured from UV stabilised medium density polyethylene the Waste Pod can be sited in both urban and rural areas on hard standing areas or into softer landscapes. The rear opening door allow for easy access by waste contractors. The Pod come complete with zinc plated locks which can be keyed the same or keyed individually.

Technical Information	
Length:	900mm
Width:	700mm
Height:	1390mm
Code:	419-A



Street Smart

The Sturdy Street Smart is designed to improve street cleaning efficiency, increasing mobility while providing greater storage capacities. The all inclusive elegant design of this street cleaning cart has proven to be most popular with Local Authorities and Industrial building occupiers.

It is ideal for community, town, city cleaning and event venues.

This street cleaning cart consists of two 90L bins, a brush and shovel, and two small storage containers for the employee's items. These are mounted on a frame with wheels for easy manoeuvrability.

Technical Information	
Length:	1600mm
Width:	750mm
Height:	950mm
Code:	295-A



Supreme Bin

The waste bin incorporates a robust structural frame which eliminates damage to the bin should pedestrians sit or stand on the product. The body is manufactured from medium density polyethylene. It has a front opening door and closes with a simple slam shut action. The opening is designed to prevent birds and other animals from removing litter from the bin. The opening size is designed for litter disposal and prevents the depositing of household waste and rubbish.

Technical Information	
Length:	1040mm
Width:	980mm
Height:	1520mm
Code:	301-A



Roundabout Bin

The Roundabout Bin is ideal for use in high pedestrian traffic zones such as high streets or shopping centres.

The street bin is fitted with a front door locking mechanism and is available with a polyethylene or galvanised steel liner. It closes with a simple slam shut action.

As an optional extra your local authority name or logo can be applied to the front of the rubbish bin. Also a 'Stub It Out Ashtray' can be incorporated as an optional extra.

Technical Information

Length:	500mm
Width:	500mm
Height:	1120mm
Code:	161-A



Charter Bin

The waste bin is fitted with a front door locking mechanism and is available with a galvanised steel liner. The body is designed to prevent wind from dispersing the waste. It has a front opening door and closes with a simple slam shut action. The lid is designed to prevent birds and other animals from removing litter from the bin.

The street bin is available in black and gold as standard.

As an optional extra your local authority name or logo can be applied to the front of the outdoor Roundabout Litter Bin.

Also a 'Stub It Out Ashtray' can be incorporated as an optional extra.

Technical Information

Length:	525mm
Width:	525mm
Height:	965mm
Code:	101-A



Satellite Bin

The Satellite Litter Bin is opened with a standard triangular key and closed with a simple slam shut action.

With the twist of a key the hood flips upwards enabling the body to be removed. Once emptied the body is readily replaced on the mounting bracket and is kept in place by the lid. The lid is designed to prevent birds and other animals from removing litter from the bin. The Satellite Litter Bin can be pole, post or wall mounted.

As an optional extra your company name or logo can be applied to the front of the Satellite Litter Bin to help promote your company.

Technical Information

Length:	345mm
Width:	435mm
Height:	755mm
Code:	302-A



Bin Liners

These bin liners can be made to order in plastic or galvanised steel. They are suited to fit street bins. They are not heavy and are very robust.



Simplicity Bin

The Sturdy Simplicity Litter Bin is ideal for use indoors or outdoors for waste or recycling. An ideal economical option for recycling.

The Simplicity Litter Bin is manufactured from medium density polyethylene UV stabilised. A plastic bag liner allows for easy emptying. An elastic cord keeps the liner in place. The open top on the Simplicity Litter Bin encourages public tidiness. It can be secured by using a ballast of sand or concrete. It can also be bolted to a concrete base which allows for extra stability.

Technical Information

Capacity:	85L
Diameter:	440mm
Height:	820mm
Code:	208-A



Prima Linea Bin

The Prima Linea Litter Bin is opened with a standard triangular key and closed with a simple slam shut action. The lid is designed to prevent birds and other animals from removing litter from the bin.

The lid is manufactured from UV stabilised high density polyethylene and is resistant to common chemicals as well as extreme temperatures. The smooth internal and external surface makes it easy to clean and maintain. The embossed sides prevent graffiti and illicit posters from being attached. The Prima Linea Litter Bin can be fixed to a new pole/post or to an existing pole/post.

Technical Information

Capacity:	50L
Diameter:	350mm
Height:	840mm
Code:	302-A



Doggy Waste Bin

The Waste Bin is 50L and is ideal for use in pedestrian areas, parks, sea front promenades and beaches.

Designed with municipal technical departments and dog owners in mind, the Doggy Waste Bin 50L is the complete solution for the collection of dog waste. The basket opens using a triangular key. The hygienic flap ensures users have no direct access to the contents. Also available in 35L.

Optional extras.

There are 2 types of mounting poles available. They are soft ground mounting poles and hard ground mounting poles.

Technical Information

Length: 475mm

Width: 460mm

Height: 700mm

Code: 209-A (35L)
210-A (50L)

Amberol Dog Waste Bin

Manufactured for Sturdy Products Ltd the Amberol Dog Waste Bin is ideal for use in pedestrian areas, parks, sea front promenades and beaches.

The Amberol Dog Waste Bin is fitted with a permanent flap designed to keep unpleasant odours in. Hinged at the bottom, the front safely drops down when released for easy emptying of the liner. It is fully lockable with a triangular key and requires virtually no maintenance. Once shut, the slam lock keeps the Amberol Dog Waste Bin secure.

The Amberol Dog Waste Bin can be wall or post mounted. It can be manufactured with a dog graphic moulded into the front.

Technical Information

Length: 260mm

Width: 470mm

Height: 700mm

Code: 449-A



F.O.D. Bin

The Sturdy Wall Mounted F.O.D. Bin is a very simple design consisting of 3 parts - the lid, the body and the liner. The internal plastic liner is removable. The hinged lid ensures the contents are concealed at all times. The unit requires virtually no maintenance.

The Wall Mounted F.O.D. Bin has been designed for airports, however it is also used in residential areas, factories and shopping centres.

As an optional extra your company name or logo can be applied to the front of the Wall Mounted F.O.D. Bin to help promote your company.

Technical Information

Length: 320mm

Width: 610mm

Height: 460mm

Code: 288-A





Waste Segregation Station

The Sturdy Waste Segregation Station is ideal for the separation of every-day waste for recycling. It is suitable for use in restaurants, canteens, schools, snack areas and offices.

The Waste Segregation Station bins are manufactured from medium density polyethylene UV stabilised. A plastic bag liner allows for easy emptying. An elastic cord keeps the liner in place. The open top on the litter bin encourages waste recycling. The Waste Segregation Station comes with a supporting frame as standard.

Technical Information

Length:	2000mm
Depth:	500mm
Height:	560mm
Code:	333-A



Primary Battery Box

The Sturdy Primary Battery Box is a suitable container for recycling domestic dry-cell batteries. Batteries are composed of substances, such as lead, nickel and cadmium. These elements can cause serious environment problems when thrown out carelessly with household waste. The Primary Battery Box eliminates this problem by storing the batteries for recycling in a clean and safe manner. Manufactured from medium density polyethylene UV stabilised it will never rust, fade or require painting. The Primary Battery Box is user friendly and secure.

It's two compartments facilitate first stage segregation of batteries.

Technical Information

Length:	300mm
Width:	250mm
Height:	580mm
Code:	144-A



Secure Recycling

The Secure Recycling Containers - are fitted with a high security slam lock which can only be opened with the key provided. There are handles moulded into the body so it can be easily carried.

Manufactured from medium density polyethylene UV stabilised it will never rust or require painting.

The Secure Recycling Containers are suitable for factories, offices or retail outlets.

As an optional extra your company name or logo can printed onto the body of the Secure Recycling Container - Model A to help promote your company. It also has an optional internal liner.

Technical Information

Diameter:	400mm
Height:	1150mm
Code:	305-A



Drums Up Spill Tray

The Sturdy Drums Up Spill Tray is suitable for storing a 200Ltr drum around a premises. It also acts as a drip tray for the drum. It is manufactured from UV stabilised medium density polyethylene. A spout is incorporated into the Drums Up Spill Tray to allow any spills to be emptied with ease once the drum is empty.

The Drums Up Spill Tray also comes as a trolley, on wheels.

Technical Information

Diameter: 830mm

Height: 290mm

Code: 192-A

193-A
(As Trolley)



Drum Dispenser

The Sturdy Drum Dispenser is not only a drum dispenser and transportation trolley for 200Ltr drums, it is also a secondary bunded container that can contain any spilled liquid until it can be safely recovered and disposed of. Its easy one man operation improves productivity and reduces operator strain. A foot step is also incorporated at the back for ease of lifting. The Drum Dispenser comes complete with integrated strong secure ratchet strapping to hold the drum in place. Any spills that occur can be recovered through the drain plug at the base of the unit.

Technical Information

Length: 1600mm

Width: 800mm

Height: 680mm

Code: 160-A



Spill Trolley

The Sturdy Spill Trolley is designed to store and transport hazardous liquid containers in a safe and efficient manner. Any liquid that is spilled is contained in the body of the unit. The trolley comes with a galvanised steel grid and an integrated drain plug to recover major spills. The sides of the Spill Trolley are ribbed for extra strength. The galvanised steel handle and the two castor wheels make the trolley ease to use. It is designed to store and carry a wide variety of goods.

Technical Information

Length: 1950mm

Width: 550mm

Height: 620mm

Code: 156-A

The Spill Trolley is available in yellow as standard.

Sturdy Fluorescent Tube Box



The Sturdy High Fluorescent Tube Box is specifically designed for the storage of broken fluorescent tubes. The lightweight lid allows for ease of insertion into the body of the container. Two lockable clasps are located on the lid and when not in use prevent unauthorised access. Two larger rear wheels and two swivel castors in the front ensure that the product is easy to transport. The design of the unit allows it to be lifted vertically to pass through tight doorways and corridors.

OPTIONAL EXTRAS

- ~ Branding
- ~ Barcoding

Technical Information	
Length:	1930mm
Width:	560mm
Height:	620mm
Capacity:	0.38m ³
Code:	159-A 6ft. 408-A 8ft.




Pallet Crate

The Sturdy Pallet Crate 750kg is ideal for all types of heavy goods. The all in one sealed crate prevents internal contents from leaking. It can be lifted by forklift. The base of the Pallet Crate 750kg comes complete with restraint skids which prevent it from coming off the forks.

The 750kg Pallet Crate is suitable for garages, meat processing, general factories and collection areas.

Technical Information	
Length:	1000mm
Width:	1200mm
Height:	750mm
Capacity:	600L
Code:	310-A
Lid Code:	311-A

Colours Available:



(Others on special request)
Specific to certain products, please enquire.



STURDY PRODUCTS LIMITED
Blessington Industrial Estate,
Blessington,
Co. Wicklow,
Ireland

Tel: +353 (0)45 865044

Fax: +353 (0)45 865721

E-mail: sales@sturdyproducts.com

Website: www.sturdyproducts.com

Looking forward to hearing from you.