

STURDY
PRODUCTS LTD

A stack of three folded white towels, showing a textured, waffle-weave pattern. The towels are neatly folded and stacked on a light-colored surface. A thick green curved line separates the logo area from the towel image.

Material Handling

ABOUT STURDY PRODUCTS LTD.

We are Ireland's Leading Rotational Moulding Specialists

With 40 years experience in the Rotational Moulding Industry, our company has unique capabilities in large moulding and is the only company in Ireland with facilities to mould up to 4 metres in length.

We are a manufacturer of our own range of rotationally moulded plastic products and a distributor of other market leader plastic products. The main market sectors in which the company trades are Environmental, Construction, Domestic, Agricultural & Equestrian, Rainwater Harvesting and Custom Moulding.

Sturdy Products Ltd serve customers in both public and private sectors in Ireland, the UK and abroad. In the Irish context, the company would be classified as SME.

We have the capability to take your design idea from initial inception through to the final product launch all under one roof. Whether it's a new product, a re-development of an old product or if you are switching from metal to plastic, we can offer you our custom moulding service.

Our Services

We have a dynamic and dedicated in-house design team who will work closely with you to achieve the product you require. We have a fully equipped mould fabrication workshop and state of the art rotational moulding machines which allow for a reasonable idea/product turnaround. This also enables us to have full control over the quality of the product you receive.

With the aid of high quality 3D renderings we can provide you with initial concepts as to how your product may look once finished. We can also further develop these ideas should this be required and these can be presented to you in a variety of formats. Our design team can also provide you with a full set of CAD product drawings once the final design has been completed.

Our skilled team of mould fabricators have the capability of producing a mould within in relatively short period of time. This allows us to quickly produce the initial prototype for testing.

OUR STANDARDS

We manufacture to written documented standards.

Our Manufacturing Facility is ISO 9001 Certified.

Our products are Internationally Tested and Certified as Requested.



DISTRIBUTION TROLLEYS

OUR MOST POPULAR TROLLEYS

Sturdy Basic Trolley: 617-A



Technical Information

Length:	790mm
Width:	710mm
Height:	1700mm (1520mm)
Capacity:	0.85m ³
Dimensions +/- 5%	

Features

- ~ Documentation pouch
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

Product Code: 617-A

Sturdy Magnum Trolley: 619-A



Technical Information

Length:	830mm
Width:	710mm
Height:	1820mm (1630mm)
Capacity:	0.94m ³
Dimensions +/- 5%	

Features

- ~ Documentation pouch
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

Product Code: 619-A

STURDY UTILITY



(A) - Parallel Front
350-A

(B) - Curtain Top & Front
With Parallel Front
593-A

(C) - Tapered Front
571-A

(D) - Open Top & Front
With Parallel Front
610-A

Product	Technical Information	Features
(A) - Product Code: 350-A (B) - Product Code: 593-A (C) - Product Code: 571-A (D) - Product Code: 610-A	Length: 890mm Width: 700mm Height: 1620mm (1440mm) Capacity: 0.89m ³ <small>Dimensions +/- 5%</small>	~ 4 X Plastic Handles ~ PVC Curtain (c/w Turnbuttons and Documentation pouch) ~ 4 X 125mm Nylon Centred Castors ~ Galvanised Steel Support Frame ~ Strength Ribs on Top and Sides NOTE: Shelves do not come as standard

STURDY SP



(A) - Parallel Front
412-A

(B) - Curtain Top & Front
611-A

(C) - Open Top & Front
612-A

Product	Technical Information	Features
(A) - Product Code: 412-A (B) - Product Code: 611-A (C) - Product Code: 612-A	Length: 870mm Width: 610mm Height: 1770mm (1660mm) Capacity: 0.84m ³	~ 4 X Plastic Handles ~ PVC Curtain (c/w Turnbuttons and Documentation pouch) ~ 4 X 125mm Nylon Centred Castors ~ Galvanised Steel Support Frame ~ Strength Ribs on Top and Sides NOTE: Shelves do not come as standard

TROLLEYS



(E) - Tallboy Parallel Front
528-A



(F) - Tallboy Open Top & Front
591-A



(G) - Apex Top
592-A

Product	Technical Information		Features
(E) - Product Code: 528-A	(E & F) Length:	890mm (G) 890mm	~ 4 X Plastic Handles ~ PVC Curtain (c/w Turnbuttons and Documentation pouch) ~ 4 X 125mm Nylon Centred Castors ~ Galvanised Steel Support Frame ~ Strength Ribs on Top and Sides
(F) - Product Code: 591-A	Width:	700mm 700mm	
(G) - Product Code: 592-A	Height:	1830mm (1660mm) 1830mm (1660mm)	
	Capacity:	1m ³ 1m ³	
	Dimensions +/- 5%		

TROLLEYS



(D) - Low Profile Parallel Front
498-A



(E) - Low Profile Open Top & Front
613-A



(F) - Apex Top
572-A

Product	Technical Information		Features
(E) - Product Code: 498-A	(D & E) Length:	870mm (F) 870mm	~ 4 X Plastic Handles ~ PVC Curtain (c/w Turnbuttons and Documentation pouch) ~ 4 X 125mm Nylon Centred Castors ~ Galvanised Steel Support Frame ~ Strength Ribs
(F) - Product Code: 613-A	Width:	610mm 610mm	
(G) - Product Code: 572-A	Height:	1620mm 1880mm (1450mm) (1710mm)	
	Capacity:	0.76m ³ 0.9m ³	
	Dimensions +/- 5%		

Sturdy Rambo Trolley: 662-A



Technical Information

Length: 1220mm

Width: 720mm

Height: 1725mm

Capacity: 1.3m³

Dimensions +/- 5%

Features

- ~ Moulded in Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 200mm H.D. Cast Centred Castors
- ~ Galvanised Steel Support Frame c/w
- ~ Nylon Strapping c/w Delta Rings
- ~ Strengthening Ribs on Top and Sides.

Product Code: 662-A

Sturdy Minimax Trolley: 537-A



Technical Information

Length: 1100mm

Width: 610mm

Height: 1620mm
(1450mm)

Capacity: 0.97m³

Dimensions +/- 5%

Features

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

Product Code: 537-A

Sturdy Minimax Trolley With Plastic Door: 538-A



Technical Information

Length: 1100mm

Width: 610mm

Height: 1620mm
(1450mm)

Capacity: 0.97m³

Dimensions +/- 5%

Features

- ~ 4 X Plastic Handles
- ~ HDPE Plastic Door (c/w Turnbuttons, Hinges & Padlocks)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

Product Code: 538-A

TROLLEYS



(A) - Standard Trucking Trolley:
372-A



(B) - Super Trucking Trolley:
481-A

Product	Technical Information	Features
(A) - Product Code: 372-A	(A) Length: 2260mm	<ul style="list-style-type: none">~ 2 X Plastic Handles~ PVC Curtain (c/w Turnbuttons and Documentation pouch)~ 4 X 200mm H.D. Cast Centred Castors~ Galvanised Steel Support Frame c/w Forklift Channel~ Nylon Strapping c/w Delta Rings~ Open top for ease of loading~ Strength Ribs on Top and Sides.
(B) - Product Code: 481-A	(B) 2260mm	
	Width: 1245mm	
	Height: 1700mm (1470mm)	
	Capacity: 3.4m ³	
	5.4m ³	

Dimensions +/- 5%

Sturdy Compact Trolley: 499-A



Technical Information	Features
Length: 880mm	<ul style="list-style-type: none">~ 2 X Plastic Handles~ PVC Curtain (c/w Velcro Strip and Documentation pouch)~ 4 X 125mm Nylon Centred Castors~ Galvanised Steel Support Frame~ Strength Ribs on Sides~ Pull up/down shutter system
Width: 610mm	
Height: 1300mm	
Capacity: 0.69m ³	
Dimensions +/- 5%	

Product Code: 499-A

Sturdy Roller Shutter Trolley: 678-A



Technical Information	Features
Length: 634mm	<ul style="list-style-type: none">~ 2 X Plastic Handles~ 4 X 125mm Nylon Centred Castors~ Galvanised Steel Support Frame~ Strength Ribs on Sides~ Pull up/down shutter system
Width: 879mm	
Height: 1082mm	
Capacity: 0.89m ³	
Dimensions +/- 5%	

Product Code: 678-A

MATERIAL HANDLING



(A) Tote Buggy 250L
598-A



(B) Tote Buggy 330L
599-A



(C) Tote Buggy 500L
447-A



(D) Extra Wide Loading Trolley
681-A



(I) Self Levelling Floor
595-A



(J) Stack-N-Store (Small)
549-A



(K) Stack-N-Store (Large)
550-A

Technical Information						Dimensions +/- 5%
Product:	(A) 598-A	(B) 599-A	(C) 447-A	(D) 681-A	(E) 532-A	(F) 569-A
Length:	1000mm	1000mm	1000mm	1650mm	1000mm	1000mm
Width:	700mm	700mm	900mm	1230mm	950mm	950mm
Height:	810mm	920mm	960mm	910mm	850mm	800mm
Capacity:	0.25m ³	0.33m ³	0.5m ³	1m ³	0.89m ³	0.9m ³

Features

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
- ~ 4 X 125mm Nylon Centred Castors
- ~ 2 X / 4 X Plastic Handles
- ~ Plastic Support Base / Galvanised Steel Support Frame
- ~ Strength Ribs on Sides.

- (J) & (K) ~ Tapered 'U Shaped' Front
~ Stacking Lugs in all 4 Corners

TROLLEYS



(E) Standard Loading Trolley
532-A



(F) Spring Loaded Trolley
569-A



(G) High Back Trolley
609-A



(H) Cube High Back Trolley
594-A



(L) SP Tray 682-A



(M) High Security Laundry Box
579-A



(N) 240L Wheelie Bin
117-A

							Dimensions +/- 5%
(G) 609-A	(H) 594-A	(I) 595-A	(J) 549-A	(K) 550-A	(L) 682-A	(M) 579-A	(N) 117-A
1600mm	1000mm	N/A	700mm	850mm	850mm	1930mm	725mm
950mm	1000mm	N/A	700mm	850mm	460mm	560mm	580mm
1350mm	1440mm	N/A	650mm	650mm	90mm	620mm	1075mm
0.95m ³	0.67m ³	N/A	0.26m ³	0.39m ³	0.03m ³	0.38m ³	0.24m ³

OPTIONAL



Castors: Grey Nylon / Blue Rubber




Hanging Rail



Foot Lever



Handles: Push Pull / Cut Out




Additional Strength



Drain Plugs




Roller Shutter Door



Mould in Graphic / Embossment Plate



Screen Print on Body or Curtain



Turn Lock: Metal / Plastic



Zipped Curtains




Open Topped Trolley



PVC Cover

FEATURES

COLOURS AVAILABLE



REFURBISHMENT SERVICES

The Returnplast division of Sturdy Products Ltd. offers a complete refurbishment service on your on your steel waste containers and plastic wheeled waste containers. We also offer a refurbishment service for plastic products.

Where necessary the following can be carried out:

- ~ Plastic Welding
- ~ Broken Part Replacement
- ~ Castor Replacement
- ~ Handle Replacement
- ~ New Personal Signage

RECYCLING SERVICES

The Returnplast division of Sturdy Products Ltd., which is a fully licensed reprocessing facility for specialist hard plastic, offers a disposal, regrind and refurbishment service. Plastic products are reprocessed and recycled in accordance to the Waste Management Act 1996. A certificate of conformance can be issued upon request.

Where necessary the following can be carried out:

- ~ Step 1: Old, damaged and used plastic products are collected and brought to our recycling factory.
- ~ Step 2: These products are cut into pieces small enough to run through our machines.
- ~ Step 3: The pieces are passed through a granulator from which a plastic chip is produced.
- ~ Step 4: The chip can be used in this state, for example on our Composters, or it can be ground down into a finer powder known as 'jazz' for use in certain products.

MATERIAL VARIANTS

Made From:

- | | |
|----------------------------|-------------------------------|
| ~ Virgin Material | ~ Anti Bacterial Inner Layer |
| ~ Recycled Material | ~ Sandstone or Granite Finish |
| ~ Flame Retardant Material | |

SECTORS

Hospitality, Hospitals, Nursing Homes, Manufacturing, Electrical/Computing, Laundry, Pharmaceuticals, Med Tech, Catering & Event Management.

Quality Products Built To Last



Ireland's leading Rotational Moulding
experts.

We here at Sturdy Products Ltd take
pride in the strength, standard and after
sale service of our products.

Sturdy Products Limited
Blessington Industrial Estate,
Blessington, Co Wicklow.



Tel: +353 (0)45 865044

Fax: +353 (0)45 865721

Email: sales@sturdyproducts.com

Website: www.sturdyproducts.com