



STURDY
PRODUCTS LTD



Material Handling



Sturdy Extra Wide Load trolley

- ~ 4 X Plastic Handles
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
 - ~ Barcoding
 - ~ 1/2" Drain plug
 - ~ Document pouch
 - ~ Other colours available
- ~ Unique barcode to allow for traceability

Technical Information

Length: 1650mm

Width: 1230mm

Height: 910mm

Code: 681 - A

Dimensions +/- 5%



Roller Shutter Trolley

- ~ 2 X Plastic Handle
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Sides
- ~ Pull up/down shutter system

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
 - ~ Barcoding
 - ~ Shelving
 - ~ Label/logo on front part of shutter
- ~ Elliptical side panels can include signage

Technical Information

Length: 634mm

Width: 879mm

Height: 1082mm

Code: 687 - A

Dimensions +/- 5%



Sturdy Utility Trolley SG - Parallel Front

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1620mm (1440mm) |
| Code: | 350-A 350-B 350-C |

Dimensions +/- 5%



Sturdy Utility Trolley SG - Curtain Top and Front with Parallel Front

- ~ 4 X Plastic Handles
- ~ Opening on Top and Front
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--------------------|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1620mm (1440mm) |
| Code: | 593-A |

Dimensions +/- 5%



Sturdy Utility Trolley SG - Apex Parallel Front

- ~ 4 X Plastic Handles
- ~ Apex Top
- ~ Indent for RFID Chip
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--------------------|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1900mm (1715mm) |
| Code: | 592-A |

Dimensions +/- 5%



Sturdy Utility Trolley SG2 (Tapered Front)

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1620mm (1440mm) |
| Code: | 571-A 571-B 571-C |

Dimensions +/- 5%



Sturdy Utility Trolley SG - Open Top and Front with Parallel Front

- ~ 4 X Plastic Handles
- ~ Open Top and Front
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--------------------|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1620mm (1440mm) |
| Code: | 601-A |

Dimensions +/- 5%



Sturdy Tallboy Laundry Trolley SG

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1830mm (1660mm) |
| Code: | 528-A 528-B 528-C |

Dimensions +/- 5%



Sturdy Tallboy Laundry Trolley SG - Open Top and Open Front

- ~ 4 X Plastic Handles
- ~ Open Top and Front
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|--------------------|
| Length: | 900mm |
| Width: | 700mm |
| Height: | 1830mm (1660mm) |
| Code: | 591-A |

Dimensions +/- 5%



Sturdy Utility Trolley SP - Parallel Front

- ~ 4 X Plastic Handles
 - ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
 - ~ 4 X 125mm Nylon Centred Castors
 - ~ Galvanised Steel Support Frame
 - ~ Strength Ribs on Top and Sides
- NOTE: Shelves do not come as standard

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
 - ~ Shelving
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|-------------------------|
| Length: | 870mm |
| Width: | 610mm |
| Height: | 1770mm (1660mm) |
| Code: | 412-A 412-B 412-C |

Dimensions +/- 5%



Sturdy Utility Trolley SP - Apex Top Parallel Front

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
 - ~ Shelving
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

| | |
|---------|-------------------------|
| Length: | 870mm |
| Width: | 610mm |
| Height: | 1880mm (1720mm) |
| Code: | 572-A 572-B 572-C |

Dimensions +/- 5%



Sturdy Utility Trolley SP - Open Top and Front

- ~ 4 X Plastic Handles
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Bespoke PVC Curtains if required
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
 - ~ Barcoding
 - ~ Shelving
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

Length: 870mm
Width: 610mm
Height: 1770mm
(1660mm)

Code: 612-A

Dimensions +/- 5%



Sturdy Utility Trolley SP - Low Profile

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
 - ~ Barcoding
 - ~ Shelving
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

Length: 870mm
Width: 610mm
Height: 1620mm
(1450mm)

Code: 498-A
498-B
498-C

Dimensions +/- 5%



Sturdy Utility Trolley SP - Low Profile Open Top and Front

- ~ 4 X Plastic Handles
- ~ Open Top and Front
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
 - ~ Barcoding
 - ~ Shelving
- ~ Internal Curtain Rail
- ~ Protective Bumper

Technical Information

Length: 870mm
Width: 610mm
Height: 1620mm
(1450mm)

Code: 613-A

Dimensions +/- 5%



Sturdy MiniMax Trolley SP - Extra Wide

- ~ 4 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
- ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
- ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

| Technical Information | |
|-----------------------|--|
| Length: | 1100mm |
| Width: | 610mm |
| Height: | 1620mm (1450mm) |
| Code: | 537-A 537-B 537-C |
| Dimensions +/- 5% | |



Sturdy Basic Open Top & Front SP

- ~ Documentation pouch
- ~ 4 X 125mm Nylon Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ Barcoding
- ~ Protective Bumper

| Technical Information | |
|-----------------------|--------------------|
| Length: | 790mm |
| Width: | 710mm |
| Height: | 1700mm (1520mm) |
| Capacity: | 0.85m ³ |
| Code: | 617-A |
| Dimensions +/- 5% | |



Sturdy Rambo Laundry Trolley

- ~ Moulded in Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 200mm H.D. Cast Centred Castors
- ~ Galvanised Steel Support Frame c/w
- ~ Nylon Strapping c/w Delta Rings
- ~ Strengthening Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
- ~ Bespoke PVC Curtains if required
- ~ Barcoding

| Technical Information | |
|-----------------------|--------------|
| Length: | 1220mm |
| Width: | 720mm |
| Height: | 1725mm |
| Code: | 662-A |
| Dimensions +/- 5% | |



Sturdy Super Trucking Trolley

- ~ 2 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 200mm H.D. Cast Centred Castors
- ~ Galvanised Steel Support Frame c/w Forklift Channel
 - ~ Nylon Strapping c/w Delta Rings
 - ~ Open top for ease of loading
 - ~ Strength Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

| Technical Information | |
|-----------------------|--------------------|
| Length: | 2260mm |
| Width: | 1245mm |
| Height: | 2185mm (1945mm) |
| Code: | 481-A |
| Dimensions +/- 5% | |



Sturdy Standard Trucking Trolley

- ~ 2 X Plastic Handles
- ~ PVC Curtain (c/w Turnbuttons and Documentation pouch)
- ~ 4 X 200mm H.D. Cast Centred Castors
- ~ Galvanised Steel Support Frame c/w Forklift Channel
 - ~ Nylon Strapping c/w Delta Rings
 - ~ Strengthening Ribs on Top and Sides.

OPTIONAL EXTRAS

- ~ Branding (Silk Screen or Embossment)
- ~ PVC Curtain Colours (Standard Range of Colours)
 - ~ Large Turnbuttons
- ~ Bespoke PVC Curtains if required
 - ~ Barcoding
- ~ Internal Curtain Rail
- ~ Protective Bumper

| Technical Information | |
|-----------------------|--------------------|
| Length: | 2905mm |
| Width: | 1245mm |
| Height: | 1700mm (1470mm) |
| Code: | 372-A |
| Dimensions +/- 5% | |



Sturdy Tote Buggy 250L

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
 - ~ 2 X Plastic Handles
 - ~ Nestable
 - ~ Plastic Support Base

OPTIONAL EXTRAS

- ~ Various Castor Options
- ~ Branding (Silkscreen)
- ~ Removable PVC Cover
- ~ Retained PVC Cover
 - ~ Barcoding

| Technical Information | |
|-----------------------|--------------------|
| Length: | 1000mm |
| Width: | 700mm |
| Height: | 810mm |
| Capacity: | 0.25m ³ |
| Code: | 598-A |
| Dimensions +/- 5% | |



Sturdy Tote Buggy 330L

- ~ Ideal for the transportation of various types of materials
 - ~ Manufactured from UV Stabilised MDPE Compound
 - ~ 4 X 160mm Steel Centred Castors
 - ~ 2 X Plastic Handles
 - ~ Plastic Support Base
- NOTE: PVC Cover does NOT come as standard

- OPTIONAL EXTRAS**
- ~ Various Castor Options
 - ~ Branding (Silkscreen)
 - ~ Removable PVC Cover
 - ~ Retained PVC Cover
 - ~ Barcoding

Technical Information

| | |
|--------------|--------------------|
| Length: | 1000mm |
| Width: | 700mm |
| Height: | 915mm |
| Capacity: | 0.33m ³ |
| Code: | 599-A |

Dimensions +/- 5%



Sturdy Tote Buggy 500L

- ~ Ideal for the transportation of various types of materials
 - ~ Manufactured from UV Stabilised MDPE Compound
 - ~ 4 X 160mm Steel Centred Castors
 - ~ 2 X Plastic Handles
 - ~ Plastic Support Base
- NOTE: PVC Cover does NOT come as standard

- OPTIONAL EXTRAS**
- ~ Various Castor Options
 - ~ Branding (Silkscreen)
 - ~ Removable PVC Cover
 - ~ Retained PVC Cover
 - ~ Barcoding

Technical Information

| | |
|--------------|-------------------|
| Length: | 1000mm |
| Width: | 900mm |
| Height: | 960mm |
| Capacity: | 0.5m ³ |
| Code: | 447-A |

Dimensions +/- 5%



Sturdy All Purpose Dolly

- ~ All Purpose Dolly is ideal for moving goods around
 - ~ Available in a range of colours
 - ~ various castor options available
- ~ Can be used in conjunction with the Sturdy Stack-N-Store Containers.

Technical Information

| | |
|--------------|--------------|
| Length: | 850mm |
| Width: | 850mm |
| Height: | 225mm |
| Code: | 573-A |

Dimensions +/- 5%



Sturdy Laundry Loading Trolley Standard SP

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
 - ~ 4 X 125mm Steel Centred Castors
 - ~ Galvanised Steel Support Frame
 - ~ Nestable

OPTIONAL EXTRAS

- ~ Spring Loaded Self Levelling Floor
- ~ Various Castor Options ~ Branding (Silkscreen)
- ~ Removeable PVC Cover ~ Retained PVC Cover
- Self Levelling Base ~ Galvanised Spring Loaded Mechanism
- ~ Barcoding

Technical Information

| | |
|-----------|--------------------|
| Length: | 1600mm |
| Width: | 950mm |
| Height: | 850mm (700mm) |
| Capacity: | 0.89m ³ |
| Code: | 532-A |

Dimensions +/- 5%



Sturdy Spring Loaded Trolley SP12

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
 - ~ 4 X 100mm Steel Centred Castors
 - ~ Galvanised Spring loaded mechanism
 - ~ HDPE Floor
 - ~ Document Pouch

OPTIONAL EXTRAS

- ~ Various Castor Options
- ~ Branding (Embosment/ decals)
- ~ Removable PVC Cover
- ~ Retained PVC Cover
- ~ Barcoding
- ~ Plastic Handles

Technical Information

| | |
|-----------|-------------------|
| Length: | 1600mm |
| Width: | 950mm |
| Height: | 800mm |
| Capacity: | 0.9m ³ |
| Code: | 569-A |

Dimensions +/- 5%



Sturdy High Security Laundry Box SP

The Sturdy High Security Laundry Box is specifically designed for the storage of high end linen. The lightweight lid allows for ease of insertion into the body of the container. Two lockable clasps are located on the lid and when not in use prevent unauthorised access. Two larger rear wheels and two swivel castors in the front ensure that the product is easy to transport. The design of the unit allows it to be lifted vertically to pass through tight doorways and corridors.

OPTIONAL EXTRAS

- ~ Branding
- ~ Barcoding

Technical Information

| | |
|-----------|--------------------|
| Length: | 1930mm |
| Width: | 560mm |
| Height: | 620mm |
| Capacity: | 0.38m ³ |
| Code: | 579-A |

Dimensions +/- 5%



Sturdy Loading Trolley SP - High Back

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
- ~ 4 X 125mm Steel Centred Castors
- ~ Galvanised Steel Support Frame
- ~ Document Pouch

OPTIONAL EXTRAS

- ~ Spring Operated Self Levelling Floor
- ~ Various Castor Options
- ~ Branding (Embossment/ Decals)
- ~ Removable PVC Cover
- ~ Retained PVC Cover
- ~ Barcoding

| Technical Information | |
|-----------------------|--------------------|
| Length: | 1600mm |
| Width: | 950mm |
| Height: | 1350mm |
| Capacity: | 0.95m ³ |
| Code: | 609-A |
| Dimensions +/- 5% | |



Sturdy Cube Trolley SP - High Back

- ~ Ideal for the transportation of various types of materials
- ~ Manufactured from UV Stabilised MDPE Compound
- ~ 4 X 125mm Steel Centred Castors
- ~ Galvanised Steel Support Frame

OPTIONAL EXTRAS

- ~ Spring Operated Self Levelling Floor
- ~ Various Castor Options
- ~ Branding (Embossment/ Decals)
- ~ Removable PVC Cover
- ~ Retained PVC Cover
- ~ Barcoding

| Technical Information | |
|-----------------------|--------------------|
| Length: | 1000mm |
| Width: | 1000mm |
| Height: | 1440mm (1290mm) |
| Capacity: | 0.67m ³ |
| Code: | 595-A |
| Dimensions +/- 5% | |



Sturdy Spring Operated Self Levelling Floor

- ~ Galvanised Steel Support Frame
- ~ Black Polyethylene on Top
- ~ Galvanised Steel Spring Wire

OPTIONAL EXTRAS

- ~ Various Sizes Available
- To Suit 532-A, 542-A, 596-A & 594-A

| Technical Information | |
|-----------------------|-------|
| Length: | N/A |
| Width: | N/A |
| Height: | N/A |
| Capacity: | N/A |
| Code: | 595-A |



Sturdy Stack-N-Store Container (Small)

- ~ Tapered 'U Shaped' Front
- ~ Stacking Lugs in all 4 Corners
- ~ Manufactured from UV Stabilised Compound MDPE

It is recommended that the containers are stacked no more than three high for easy access from the ground. They can be stacked higher but a step ladder would be required for access to the higher containers.

Technical Information

| | |
|---------|-------|
| Length: | 700mm |
| Width: | 700mm |
| Height: | 650mm |
| Code: | 549-A |

Dimensions +/- 5%



Sturdy Stack-N-Store Container (Large)

- ~ Tapered 'U Shaped' Front
- ~ Stacking Lugs in all 4 Corners
- ~ Manufactured from UV Stabilised Compound MDPE

It is recommended that the containers are stacked no more than three high for easy access from the ground. They can be stacked higher but a step ladder would be required for access to the higher containers.

Technical Information

| | |
|---------|-------|
| Length: | 850mm |
| Width: | 850mm |
| Height: | 650mm |
| Code: | 550-A |

Dimensions +/- 5%



Sturdy 50L Container SP16

- ~ Available in a range of colours
- ~ No lid available with this container

OPTIONAL EXTRAS

- ~ Branding
- ~ Barcoding

Technical Information

| | |
|-----------|-------------------|
| Length: | 525mm |
| Width: | 385mm |
| Height: | 380mm |
| Capacity: | .05m ³ |
| Code: | 580-A |

Dimensions +/- 5%



Sturdy 90L Container with Lid

- ~ Available in a range of colours
- ~ Lid available with this container
- ~ Available in a range of materials
- ~ Integrated handles for ease of lifting

- OPTIONAL EXTRAS**
- ~ Branding (Silkscreen)
 - ~ Barcoding

| Technical Information | |
|-----------------------|--------------------|
| Length: | 600mm |
| Width: | 515mm |
| Height: | 430mm |
| Capacity: | 0.09m ³ |
| Code: | 581-A |
| Dimensions +/- 5% | |

Sturdy Cargo Tray SP14



- ~ Nest lugs on both ends
- ~ Manufactured from UV Stabilised Compound MDPE

- OPTIONAL EXTRAS**
- ~ Branding (Silkscreen)
 - ~ Removable PVC Cover
 - ~ Barcoding

| Technical Information | |
|-----------------------|--------------------|
| Length: | 1500mm |
| Width: | 800mm |
| Height: | 200mm |
| Capacity: | 0.09m ³ |
| Code: | 567-A |
| Dimensions +/- 5% | |



Sturdy Laundry Tray 200L SP15

- ~ Nest lugs on both ends
- ~ Manufactured from UV Stabilised Compound MDPE
- ~ Forkliftable

- OPTIONAL EXTRAS**
- ~ Branding (Silkscreen)
 - ~ Removable PVC Cover
 - ~ Barcoding

| Technical Information | |
|-----------------------|-------------------|
| Length: | 1000mm |
| Width: | 700mm |
| Height: | 810mm |
| Capacity: | 0.2m ³ |
| Code: | 582-A |
| Dimensions +/- 5% | |



240L Wheeled Bins

The EN-840 approved wheel bin has a chip nest embodied in the container as standard. The wheeled are manufactured from high- density injection moulded polyethylene and are fully UV stabilised. Each bin is fitted with two rubber wheels of 200mm diameter, which are 100% recyclable.

The wheel bins are fully compatible with normal lifting devices on trucks. Serial numbers come on all units as standard.

| Technical Information | |
|-----------------------|--------------------|
| Length: | 725mm |
| Width: | 580mm |
| Height: | 1075mm |
| Capacity: | 0.24m ³ |
| Code: | 117-A |



Sturdy PO 1100L Drop Front 4 Wheeled Bin Plastic

Manufactured by Plastic Omnium for Sturdy Products Ltd is the 1,100Ltr 4 Wheel Plastic Waste Container. A drain plug on the base of the container simplifies cleaning.

The lid of the container is light weight and easy to open.
The drop front allows easy access for loading and unloading.

Colours available Anthracite grey and Ral green only

| Technical Information | |
|-----------------------|-------------------|
| Length: | 1375mm |
| Width: | 1075mm |
| Height: | 1460 |
| Capacity: | 1.1m ³ |
| Code: | 578-A |

OPTIONAL EXTRAS

- ~ Branding (Foil Stamped or SilkScreen)
- ~ Barcoding
- ~ Various Colours



Sturdy PO 400L Drop Front 4 Wheeled Plastic Bins

Manufactured by Plastic Omnium for Sturdy Products Ltd is the 400Ltr 4 Wheel Plastic Waste Container. The lid of the container is light weight and easy to open. Its easy grip handles and low profile square shape makes it ideal for narrow hallways and corridors.

The drop front allows easy access for loading and unloading.

Note: minimum order of 50 units

| Technical Information | |
|-----------------------|-------------------|
| Length: | 820mm |
| Width: | 750mm |
| Height: | 1140mm |
| Capacity: | 0.4m ³ |
| Code: | 576-A |

OPTIONAL EXTRAS

- ~ Branding (Foil Stamped or SilkScreen)
- ~ Barcoding
- ~ Various Colours

Custom Moulding

Still cannot find what you need!

Do you have a need for a custom trolley or container in large numbers?

With over 38 years experience in the Rotational Moulding Industry, Sturdy Products Ltd. can provide your business with a complete plastic moulding solution. We have the capability to take your design idea from initial inception through to the final product launch all under one roof. Whether it's a new product, a re-development of an old product or if you are switching from metal to plastic, we can offer you our custom moulding service.

What Does Rotational Moulding Offer?

- Design flexibility as a wide variety of intricate shapes can be easily manufactured. The process produces goods that are relatively stress free.
- Economical tooling costs.
- A variety of colours and finishes are available.
- It is inexpensive for short production runs, prototype research and low volume production.
- Double wall mouldings can be produced if required.
- Its gives a one piece, seamless moulding.
- Metal inserts can be included as integral parts.
- It has excellent load bearing properties.
- The material can be corrosion resistant.

Our Services

We have a dynamic and dedicated in-house design team who will work closely with you to achieve the product you require. We have a fully equipped mould fabrication workshop and state of the art rotational moulding machines which allow for a reasonable idea/product turnaround. This also enables us to have full control over the quality of the product you receive.

With the aid of high quality 3D renderings we can provide you with initial concepts as to how your product may look once finished. We can also further develop these ideas should this be required and these can be presented to you in a variety of formats. Our design team can also provide you with a full set of CAD product drawings once the final design has been completed.

Our skilled team of mould fabricators have the capability of producing a mould within in relatively short period of time. This allows us to quickly produce the initial prototype for testing.

If you have an idea worth pursuing why not contact us for a free consultation and quotation?

Quality Products Built To Last



Ireland's leading Rotational Moulding
experts.

We here at Sturdy Products Ltd. take
pride in the strength, standard and after
sale service of our products.

**Sturdy Products Limited.
Blessington Industrial Estate,
Blessington, Co Wicklow.**



Tel: +353 (0)45 865044

Fax: +353 (0)45 865721

Email: sales@sturdyproducts.com

Website: www.sturdyproducts.com